


作業範囲図



ブームおよびジブの標準構成表

■ブーム

| ブーム長さ (m) | ブーム構成 | ブーム長さ (m) | ブーム構成 |  |
|-----------|-------|-----------|-------|--|
| 16.0      |       | 49.0      | ★     |  |
| 19.0      |       |           |       |  |
| 22.0      |       |           |       |  |
|           |       |           |       |  |
| 25.0      |       | 52.0      | ★     |  |
|           |       |           |       |  |
| 28.0      |       |           |       |  |
|           |       | 55.0      | ★     |  |
| 31.0      |       |           |       |  |
|           |       |           |       |  |
| 34.0      | ★     |           |       |  |
|           |       | 58.0      | ★     |  |
| 37.0      | ★     |           |       |  |
|           |       |           |       |  |
|           |       |           |       |  |
| 40.0      | ★     | 61.0      | ★     |  |
|           |       |           |       |  |
|           |       | 64.0      | ★     |  |
|           |       |           |       |  |
| 43.0      | ★     | 67.0      | ★     |  |
|           |       |           |       |  |
|           |       |           | 70.0  |  |
| 46.0      | ★     | 73.0      |       |  |
|           |       |           |       |  |
|           |       |           |       |  |
|           |       |           |       |  |

★印の付いた構成は、そのアタッチメント長さで購入する場合の推奨ブーム構成を示します。

■図示省略寸法

| 使用箇所<br>略記号 | ブーム長さ (m) |
|-------------|-----------|
| 1           | 1.00      |
| 3           | 3.00      |
| 6           | 6.00      |
| 7.5         | 7.50      |
| 9           | 9.00      |


■ショートジブ取付可能ブーム長さ

| ブーム長さ (m) | 16.0 | 19.0 | 22.0 | 25.0 | 28.0 | 31.0 | 34.0 | 37.0 | 40.0 | 43.0 | 46.0 | 49.0 | 52.0 | 55.0 | 58.0 | 61.0 | 64.0 | 67.0 | 70.0 | 73.0 |   |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
| ショートジブ取付  | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○    | × |

(○：可 ×：不可)



定格総荷重表




■ショートジブ付き主ブーム

単位：t

| 作業半径<br>(m) | ブーム長さ(m)  |          |           |           |           |           |           |          |          |          |          |           |           |           |          |           |           |           |           |
|-------------|-----------|----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|
|             | 16        | 19       | 22        | 25        | 28        | 31        | 34        | 37       | 40       | 43       | 46       | 49        | 52        | 55        | 58       | 61        | 64        | 67        | 70        |
| 4.7         | 88.0      |          |           |           |           |           |           |          |          |          |          |           |           |           |          |           |           |           |           |
| 5.0         | 88.0      | 88.0/5.2 | 88.0/5.7  |           |           |           |           |          |          |          |          |           |           |           |          |           |           |           |           |
| 6.0         | 88.0      | 88.0     | 88.0      | 88.0/6.2  | 77.0/6.8  |           |           |          |          |          |          |           |           |           |          |           |           |           |           |
| 7.0         | 85.0      | 84.9     | 84.7      | 84.6      | 77.0      | 66.0/7.3  | 66.0/7.8  |          |          |          |          |           |           |           |          |           |           |           |           |
| 8.0         | 71.7      | 71.7     | 71.6      | 71.6      | 71.6      | 66.0      | 66.0      | 55.0/8.3 | 55.0/8.8 |          |          |           |           |           |          |           |           |           |           |
| 9.0         | 59.7      | 59.7     | 59.6      | 59.6      | 59.5      | 59.6      | 59.4      | 55.0     | 55.0     | 44.0/9.4 | 44.0/9.9 |           |           |           |          |           |           |           |           |
| 10.0        | 51.1      | 51.0     | 50.9      | 50.9      | 50.8      | 50.8      | 50.7      | 50.6     | 50.5     | 44.0     | 44.0     | 33.0/10.4 | 33.0/10.9 | 33.0/11.5 |          |           |           |           |           |
| 12.0        | 39.4      | 39.3     | 39.2      | 39.1      | 39.1      | 39.0      | 38.9      | 38.8     | 38.6     | 38.6     | 38.5     | 33.0      | 33.0      | 33.0      | 33.0     | 22.0/12.5 | 22.0/13.1 | 22.0/13.6 |           |
| 14.0        | 31.9      | 31.8     | 31.7      | 31.6      | 31.5      | 31.4      | 31.3      | 31.2     | 31.0     | 31.0     | 30.8     | 30.8      | 30.7      | 30.5      | 30.4     | 22.0      | 22.0      | 22.0      | 21.1/14.1 |
| 16.0        | 28.0/15.4 | 26.5     | 26.4      | 26.3      | 26.2      | 26.1      | 26.0      | 25.9     | 25.7     | 25.7     | 25.5     | 25.5      | 25.4      | 25.2      | 25.1     | 22.0      | 22.0      | 21.4      | 19.0      |
| 18.0        |           | 22.7     | 22.5      | 22.4      | 22.3      | 22.2      | 22.1      | 21.9     | 21.7     | 21.7     | 21.5     | 21.5      | 21.4      | 21.2      | 21.1     | 21.1      | 20.9      | 19.5      | 17.3      |
| 20.0        |           |          | 19.5      | 19.4      | 19.3      | 19.2      | 19.1      | 18.9     | 18.7     | 18.7     | 18.5     | 18.5      | 18.4      | 18.2      | 18.1     | 18.1      | 17.9      | 17.7      | 15.8      |
| 22.0        |           |          | 18.8/20.6 | 17.1      | 16.9      | 16.9      | 16.7      | 16.6     | 16.3     | 16.3     | 16.1     | 16.1      | 16.0      | 15.8      | 15.6     | 15.6      | 15.4      | 15.3      | 14.4      |
| 24.0        |           |          |           | 15.9/23.2 | 15.0      | 14.9      | 14.8      | 14.6     | 14.4     | 14.4     | 14.2     | 14.1      | 14.0      | 13.8      | 13.7     | 13.7      | 13.5      | 13.4      | 13.2      |
| 26.0        |           |          |           |           | 13.6/25.8 | 13.4      | 13.2      | 13.0     | 12.8     | 12.8     | 12.5     | 12.5      | 12.4      | 12.2      | 12.1     | 12.1      | 11.9      | 11.7      | 11.6      |
| 28.0        |           |          |           |           |           | 12.0      | 11.9      | 11.7     | 11.5     | 11.4     | 11.2     | 11.2      | 11.1      | 10.8      | 10.7     | 10.7      | 10.5      | 10.4      | 10.2      |
| 30.0        |           |          |           |           |           | 11.8/28.4 | 10.8      | 10.6     | 10.3     | 10.3     | 10.1     | 10.0      | 9.9       | 9.7       | 9.6      | 9.5       | 9.3       | 9.2       | 9.1       |
| 32.0        |           |          |           |           |           |           | 10.3/31.0 | 9.6      | 9.4      | 9.3      | 9.1      | 9.0       | 8.9       | 8.7       | 8.6      | 8.5       | 8.3       | 8.2       | 8.0       |
| 34.0        |           |          |           |           |           |           |           | 8.9/33.6 | 8.5      | 8.4      | 8.2      | 8.2       | 8.0       | 7.8       | 7.7      | 7.6       | 7.4       | 7.3       | 7.2       |
| 36.0        |           |          |           |           |           |           |           |          | 7.8      | 7.7      | 7.5      | 7.4       | 7.3       | 7.1       | 6.9      | 6.9       | 6.7       | 6.5       | 6.4       |
| 38.0        |           |          |           |           |           |           |           |          | 7.7/36.2 | 7.0      | 6.8      | 6.7       | 6.6       | 6.4       | 6.2      | 6.2       | 6.0       | 5.8       | 5.7       |
| 40.0        |           |          |           |           |           |           |           |          |          | 6.8/38.8 | 6.2      | 6.1       | 6.0       | 5.8       | 5.6      | 5.6       | 5.3       | 5.2       | 5.0       |
| 42.0        |           |          |           |           |           |           |           |          |          |          | 5.8/41.4 | 5.6       | 5.5       | 5.2       | 5.1      | 5.0       | 4.7       | 4.5       | 4.4       |
| 44.0        |           |          |           |           |           |           |           |          |          |          |          | 5.1       | 5.0       | 4.7       | 4.5      | 4.4       | 4.2       | 4.0       | 3.8       |
| 46.0        |           |          |           |           |           |           |           |          |          |          |          |           | 4.5       | 4.2       | 4.0      | 3.9       | 3.7       | 3.5       | 3.3       |
| 48.0        |           |          |           |           |           |           |           |          |          |          |          |           | 4.4/46.6  | 3.8       | 3.6      | 3.5       | 3.2       | 3.0       | 2.9       |
| 50.0        |           |          |           |           |           |           |           |          |          |          |          |           |           | 3.5/49.2  | 3.2      | 3.1       | 2.8       | 2.6       | 2.4       |
| 52.0        |           |          |           |           |           |           |           |          |          |          |          |           |           |           | 2.9/51.8 | 2.7       | 2.4       | 2.2       | 2.1       |
| 54.0        |           |          |           |           |           |           |           |          |          |          |          |           |           |           |          | 2.4       | 2.1       | 1.9       | 1.7       |
| 56.0        |           |          |           |           |           |           |           |          |          |          |          |           |           |           |          | 2.3/54.1  | 1.8       | 1.6       |           |
| 56.7        |           |          |           |           |           |           |           |          |          |          |          |           |           |           |          |           | 1.7       |           |           |

- 注) 1. 上表に示す定格総荷重は、水平堅土上の定置荷役における値で、転倒荷重の78%以内および移動式クレーン構造規格で定める前方安定度1.15以上です。  
 2. 実際につり上げられる荷重は、上表の定格総荷重からフックなどのつり具一切の質量を差し引いた値です。  
 3. □(ノッチング)内の値は強度に基づいています。  
 4. 作業半径とは、荷をつった状態での旋回中心からつり荷の重心までの水平距離です。  
 5. カウンタウエイトは、標準仕様(45t)です。  
 6. 表中の○○○は、定格総荷重 / 作業半径mを示します。





単位：t

定格総荷重表


■クレーンジブ

| ブーム長さ<br>(m) | 40         |             |             |            |            |            |            |            | 43          |             |             |            |            |            |            |            |
|--------------|------------|-------------|-------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|
|              | 10         |             | 16          |            | 22         |            | 28         |            | 10          |             | 16          |            | 22         |            | 28         |            |
|              | オフセット角度(°) |             |             |            |            |            |            |            |             |             |             |            |            |            |            |            |
| ジブ長さ<br>(m)  | オフセット角度(°) |             |             |            |            |            |            |            |             |             |             |            |            |            |            |            |
| 作業半径<br>(m)  | オフセット角度(°) |             |             |            |            |            |            |            |             |             |             |            |            |            |            |            |
|              | 10         | 30          | 10          | 30         | 10         | 30         | 10         | 30         | 10          | 30          | 10          | 30         | 10         | 30         | 10         | 30         |
| 12.1         | 11.0       |             |             |            |            |            |            |            | 11.0 / 12.6 |             |             |            |            |            |            |            |
| 14.0         | 11.0       | 11.0 / 15.3 | 11.0 / 14.6 |            |            |            |            |            | 11.0        | 11.0 / 15.9 | 11.0 / 15.1 |            |            |            |            |            |
| 16.0         | 11.0       | 11.0        | 11.0        |            | 8.8 / 16.4 |            |            | 5.5 / 17.5 |             | 11.0        | 11.0        | 11.0       |            | 8.8 / 16.9 |            |            |
| 18.0         | 11.0       | 11.0        | 11.0        | 8.6 / 19.4 | 8.6        |            |            | 5.5        |             | 11.0        | 11.0        | 11.0       | 8.6 / 19.9 | 8.6        |            | 5.5        |
| 20.0         | 11.0       | 11.0        | 11.0        | 8.5        | 8.5        |            |            | 5.2        |             | 11.0        | 11.0        | 11.0       | 8.5        | 8.5        |            | 5.3        |
| 22.0         | 11.0       | 10.6        | 11.0        | 8.1        | 8.3        | 6.5 / 23.0 | 5.0        |            |             | 11.0        | 10.8        | 11.0       | 8.2        | 8.3        | 6.5 / 23.5 | 5.0        |
| 24.0         | 11.0       | 10.2        | 11.0        | 7.8        | 8.1        | 6.4        | 4.8        | 3.4 / 25.9 |             | 11.0        | 10.4        | 11.0       | 7.9        | 8.2        | 6.4        | 4.8        |
| 26.0         | 11.0       | 9.9         | 11.0        | 7.5        | 8.0        | 6.3        | 4.5        | 3.4        |             | 11.0        | 10.1        | 11.0       | 7.6        | 8.1        | 6.3        | 4.6        |
| 28.0         | 11.0       | 9.6         | 10.9        | 7.3        | 7.8        | 6.1        | 4.4        | 3.3        |             | 11.0        | 9.8         | 11.0       | 7.4        | 7.9        | 6.1        | 4.5        |
| 30.0         | 10.8       | 9.3         | 10.8        | 7.0        | 7.5        | 6.0        | 4.2        | 3.2        |             | 10.8        | 9.5         | 10.8       | 7.1        | 7.6        | 6.0        | 4.3        |
| 32.0         | 9.8        | 9.1         | 10.2        | 6.8        | 7.3        | 5.9        | 4.0        | 3.1        |             | 9.8         | 9.3         | 10.1       | 7.0        | 7.5        | 5.9        | 4.1        |
| 34.0         | 9.0        | 8.9         | 9.3         | 6.6        | 7.1        | 5.6        | 3.9        | 3.0        |             | 8.9         | 9.1         | 9.2        | 6.8        | 7.3        | 5.8        | 4.0        |
| 36.0         | 8.2        | 8.4         | 8.5         | 6.5        | 7.0        | 5.5        | 3.7        | 3.0        |             | 8.1         | 8.3         | 8.4        | 6.5        | 7.0        | 5.5        | 3.9        |
| 38.0         | 7.5        | 7.7         | 7.8         | 6.3        | 6.8        | 5.3        | 3.7        | 2.9        |             | 7.4         | 7.6         | 7.7        | 6.4        | 6.9        | 5.4        | 3.7        |
| 40.0         | 6.9        | 7.0         | 7.2         | 6.1        | 6.6        | 5.1        | 3.5        | 2.8        |             | 6.8         | 7.0         | 7.1        | 6.3        | 6.8        | 5.3        | 3.6        |
| 42.0         | 6.4        | 6.5         | 6.6         | 6.0        | 6.5        | 5.0        | 3.4        | 2.7        |             | 6.3         | 6.4         | 6.5        | 6.1        | 6.6        | 5.1        | 3.5        |
| 44.0         | 5.9        | 6.0         | 6.1         | 5.9        | 6.3        | 4.9        | 3.3        | 2.7        |             | 5.8         | 5.9         | 6.0        | 6.0        | 6.2        | 5.0        | 3.4        |
| 46.0         | 5.5 / 45.9 | 5.5         | 5.6         | 5.9        | 5.9        | 4.8        | 3.2        | 2.7        |             | 5.3         | 5.4         | 5.5        | 5.8        | 5.8        | 4.9        | 3.3        |
| 48.0         |            | 5.4 / 46.5  | 5.3         | 5.4        | 5.4        | 4.7        | 3.2        | 2.6        |             | 4.9         | 5.0         | 5.1        | 5.3        | 5.3        | 4.8        | 3.2        |
| 50.0         |            |             | 4.9         | 5.0        | 5.0        | 4.6        | 3.0        | 2.6        |             | 4.9 / 48.5  | 4.8 / 49.1  | 4.8        | 4.9        | 5.0        | 4.6        | 3.2        |
| 52.0         |            |             | 4.6 / 51.7  | 4.6        | 4.7        | 4.5        | 3.0        | 2.5        |             |             |             | 4.5        | 4.5        | 4.6        | 4.6        | 3.0        |
| 54.0         |            |             |             | 4.5 / 52.5 | 4.4        | 4.5        | 3.0        | 2.5        |             |             |             | 4.1        | 4.2        | 4.3        | 4.5        | 3.0        |
| 56.0         |            |             |             |            | 4.1        | 4.2        | 2.9        | 2.5        |             |             |             | 4.0 / 54.3 | 4.0 / 55.1 | 4.0        | 4.1        | 3.0        |
| 58.0         |            |             |             |            | 3.9 / 57.2 | 3.9        | 2.8        | 2.5        |             |             |             |            |            | 3.7        | 3.8        | 2.9        |
| 60.0         |            |             |             |            |            | 3.9 / 58.5 | 2.8        | 2.5        |             |             |             |            |            | 3.4 / 59.8 | 3.5        | 2.9        |
| 62.0         |            |             |             |            |            |            | 2.7        | 2.5        |             |             |             |            |            |            | 3.3 / 61.1 | 2.8        |
| 64.0         |            |             |             |            |            |            | 2.7 / 62.5 | 2.5        |             |             |             |            |            |            |            | 2.7        |
| 66.0         |            |             |             |            |            |            |            | 2.5 / 64.5 |             |             |             |            |            |            |            | 2.7 / 65.1 |
| 67.1         |            |             |             |            |            |            |            |            |             |             |             |            |            |            |            | 2.5        |

| ブーム長さ<br>(m) | 46         |             |             |            |            |            |            |            | 49          |             |             |            |            |            |            |            |
|--------------|------------|-------------|-------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|
|              | 10         |             | 16          |            | 22         |            | 28         |            | 10          |             | 16          |            | 22         |            | 28         |            |
|              | オフセット角度(°) |             |             |            |            |            |            |            |             |             |             |            |            |            |            |            |
| ジブ長さ<br>(m)  | オフセット角度(°) |             |             |            |            |            |            |            |             |             |             |            |            |            |            |            |
| 作業半径<br>(m)  | オフセット角度(°) |             |             |            |            |            |            |            |             |             |             |            |            |            |            |            |
|              | 10         | 30          | 10          | 30         | 10         | 30         | 10         | 30         | 10          | 30          | 10          | 30         | 10         | 30         | 10         | 30         |
| 13.2         | 11.0       |             |             |            |            |            |            |            | 11.0 / 13.7 |             |             |            |            |            |            |            |
| 14.0         | 11.0       |             | 11.0 / 15.6 |            |            |            |            |            | 11.0        |             |             |            |            |            |            |            |
| 16.0         | 11.0       | 11.0 / 16.4 | 11.0        |            | 8.8 / 17.4 |            |            |            | 11.0        | 11.0 / 16.9 | 11.0 / 16.2 |            |            |            |            |            |
| 18.0         | 11.0       | 11.0        | 11.0        |            | 8.7        |            |            | 5.5 / 18.6 |             | 11.0        | 11.0        | 11.0       |            | 8.8        |            | 5.5 / 19.1 |
| 20.0         | 11.0       | 11.0        | 11.0        | 8.5 / 20.5 | 8.6        |            |            | 5.3        |             | 11.0        | 11.0        | 11.0       | 8.5 / 21.0 | 8.6        |            | 5.4        |
| 22.0         | 11.0       | 10.9        | 11.0        | 8.3        | 8.4        |            |            | 5.1        |             | 11.0        | 11.0        | 11.0       | 8.3        | 8.5        |            | 5.1        |
| 24.0         | 11.0       | 10.6        | 11.0        | 8.0        | 8.3        | 6.5        | 4.9        |            |             | 11.0        | 10.7        | 11.0       | 8.1        | 8.3        | 6.5 / 24.5 | 5.0        |
| 26.0         | 11.0       | 10.2        | 11.0        | 7.7        | 8.1        | 6.3        | 4.7        | 3.4 / 27.0 |             | 11.0        | 10.3        | 11.0       | 7.8        | 8.1        | 6.4        | 4.8        |
| 28.0         | 11.0       | 10.0        | 11.0        | 7.5        | 8.0        | 6.1        | 4.5        | 3.4        |             | 11.0        | 10.1        | 11.0       | 7.5        | 8.1        | 6.2        | 4.6        |
| 30.0         | 10.6       | 9.6         | 10.9        | 7.3        | 7.8        | 6.0        | 4.4        | 3.2        |             | 10.5        | 9.8         | 10.9       | 7.4        | 7.9        | 6.1        | 4.4        |
| 32.0         | 9.6        | 9.4         | 9.9         | 7.0        | 7.5        | 6.0        | 4.2        | 3.2        |             | 9.5         | 9.6         | 9.8        | 7.1        | 7.6        | 6.0        | 4.3        |
| 34.0         | 8.6        | 9.0         | 9.0         | 6.9        | 7.4        | 5.8        | 4.0        | 3.0        |             | 8.6         | 8.9         | 9.0        | 7.0        | 7.5        | 5.9        | 4.1        |
| 36.0         | 7.9        | 8.1         | 8.2         | 6.7        | 7.2        | 5.6        | 3.9        | 3.0        |             | 7.8         | 8.1         | 8.1        | 6.8        | 7.3        | 5.8        | 4.0        |
| 38.0         | 7.2        | 7.5         | 7.5         | 6.5        | 7.0        | 5.5        | 3.8        | 3.0        |             | 7.1         | 7.4         | 7.5        | 6.6        | 7.1        | 5.5        | 3.9        |
| 40.0         | 6.6        | 6.8         | 6.9         | 6.4        | 6.9        | 5.4        | 3.7        | 2.9        |             | 6.5         | 6.8         | 6.8        | 6.5        | 7.0        | 5.4        | 3.7        |
| 42.0         | 6.0        | 6.2         | 6.3         | 6.3        | 6.5        | 5.2        | 3.5        | 2.8        |             | 6.0         | 6.1         | 6.3        | 6.4        | 6.5        | 5.3        | 3.7        |
| 44.0         | 5.5        | 5.7         | 5.8         | 6.1        | 6.0        | 5.0        | 3.5        | 2.7        |             | 5.5         | 5.6         | 5.8        | 6.0        | 5.9        | 5.1        | 3.5        |
| 46.0         | 5.1        | 5.2         | 5.4         | 5.6        | 5.5        | 5.0        | 3.4        | 2.7        |             | 5.0         | 5.1         | 5.3        | 5.5        | 5.5        | 5.0        | 3.5        |
| 48.0         | 4.7        | 4.8         | 5.0         | 5.1        | 5.1        | 4.9        | 3.3        | 2.7        |             | 4.5         | 4.7         | 4.9        | 5.1        | 5.0        | 4.9        | 3.4        |
| 50.0         | 4.3        | 4.4         | 4.5         | 4.8        | 4.8        | 4.8        | 3.2        | 2.6        |             | 4.1         | 4.3         | 4.5        | 4.7        | 4.6        | 4.8        | 3.2        |
| 52.0         | 4.0 / 51.1 | 4.0 / 51.7  | 4.2         | 4.4        | 4.4        | 4.6        | 3.2        | 2.6        |             | 3.7         | 3.9         | 4.0        | 4.3        | 4.3        | 4.6        | 3.2        |
| 54.0         |            |             | 3.8         | 4.0        | 4.0        | 4.3        | 3.0        | 2.5        |             | 3.5 / 53.7  | 3.5         | 3.7        | 3.9        | 3.9        | 4.3        | 3.1        |
| 56.0         |            |             | 3.5         | 3.6        | 3.7        | 4.0        | 3.0        | 2.5        |             |             | 3.4 / 54.3  | 3.4        | 3.5        | 3.5        | 3.9        | 3.0        |
| 58.0         |            |             | 3.4 / 56.9  | 3.3 / 57.7 | 3.4        | 3.6        | 3.0        | 2.5        |             |             |             | 3.0        | 3.2        | 3.2        | 3.5        | 3.0        |
| 60.0         |            |             |             |            | 3.1        | 3.2        | 2.9        | 2.5        |             |             |             | 2.9 / 59.5 | 2.9        | 3.0        | 3.2        | 3.0        |
| 62.0         |            |             |             |            | 2.9        | 3.0        | 2.9        | 2.5        |             |             |             |            | 2.8 / 60.3 | 2.7        | 2.9        | 2.8        |
| 64.0         |            |             |             |            | 2.8 / 62.4 | 2.7 / 63.7 | 2.7        | 2.5        |             |             |             |            |            | 2.5        | 2.6        | 2.5        |
| 66.0         |            |             |             |            |            |            | 2.5        | 2.5        |             |             |             |            |            | 2.3 / 65.0 | 2.3        | 2.5        |
| 68.0         |            |             |             |            |            |            | 2.3 / 67.7 | 2.4        |             |             |             |            |            |            | 2.2 / 66.3 | 2.1        |
| 70.0         |            |             |             |            |            |            |            | 2.2 / 69.7 |             |             |             |            |            |            |            | 1.9        |
| 72.0         |            |             |             |            |            |            |            |            |             |             |             |            |            |            |            | 1.8 / 70.3 |
| 72.3         |            |             |             |            |            |            |            |            |             |             |             |            |            |            |            | 1.8        |

注) 1. 上表に示す定格総荷重は、水平堅土上の定置荷役における値で、転倒荷重の78%以内および移動式クレーン構造規格で定める前方安定度1.15以上です。  
 2. 実際につり上げられる荷重は、上表の定格総荷重からフックなどのつり具一切の質量を差し引いた値です。

3. □(ハッチング)内の値は強度に基づいています。  
 4. 作業半径とは、荷をつた状態での旋回中心からつり荷の重心までの水平距離です。  
 5. カウンタウエイトは、標準仕様(45t)です。  
 6. 表中の○/○○は、定格総荷重t / 作業半径mを示します。



単位：t


# 定格総荷重表

## ■クレーンジブ

| ブーム長さ<br>(m) | 52         |             |             |            |            |            |     |     | 55          |             |             |            |            |            |            |    |
|--------------|------------|-------------|-------------|------------|------------|------------|-----|-----|-------------|-------------|-------------|------------|------------|------------|------------|----|
|              | 10         |             | 16          |            | 22         |            | 28  |     | 10          |             | 16          |            | 22         |            | 28         |    |
|              | オフセット角度(°) |             |             |            |            |            |     |     | オフセット角度(°)  |             |             |            |            |            |            |    |
|              | 10         | 30          | 10          | 30         | 10         | 30         | 10  | 30  | 10          | 30          | 10          | 30         | 10         | 30         | 10         | 30 |
| 14.2         | 11.0       |             |             |            |            |            |     |     | 11.0 / 14.7 |             |             |            |            |            |            |    |
| 16.0         | 11.0       | 11.0 / 17.4 | 11.0 / 16.7 |            |            |            |     |     | 11.0        | 11.0 / 17.9 | 11.0 / 17.2 |            |            |            |            |    |
| 18.0         | 11.0       | 11.0        | 11.0        |            |            | 8.7 / 18.5 |     |     | 5.5 / 19.6  |             |             |            |            | 8.7 / 19.0 |            |    |
| 20.0         | 11.0       | 11.0        | 11.0        | 8.5 / 21.5 | 8.6        |            |     |     | 5.5         |             |             |            |            | 8.6        | 5.5 / 20.1 |    |
| 22.0         | 11.0       | 11.0        | 11.0        | 8.4        | 8.5        |            |     |     | 5.2         |             |             |            | 11.0       | 11.0       | 5.3        |    |
| 24.0         | 11.0       | 10.8        | 11.0        | 8.1        | 8.3        | 6.5 / 25.0 | 5.0 |     |             | 11.0        | 11.0        | 11.0       | 8.2        | 8.3        | 6.4 / 25.6 |    |
| 26.0         | 11.0       | 10.5        | 11.0        | 7.9        | 8.2        | 6.4        | 4.8 |     |             | 11.0        | 10.6        | 11.0       | 8.0        | 8.3        | 6.4        |    |
| 28.0         | 11.0       | 10.2        | 11.0        | 7.6        | 8.1        | 6.3        | 4.6 | 3.4 |             | 11.0        | 10.3        | 11.0       | 7.8        | 8.1        | 6.3        |    |
| 30.0         | 10.4       | 10.0        | 10.8        | 7.5        | 8.0        | 6.1        | 4.5 | 3.2 |             | 10.2        | 10.1        | 10.6       | 7.5        | 8.0        | 6.1        |    |
| 32.0         | 9.3        | 9.7         | 9.7         | 7.3        | 7.8        | 6.0        | 4.4 | 3.2 |             | 9.1         | 9.6         | 9.5        | 7.3        | 7.9        | 6.0        |    |
| 34.0         | 8.5        | 8.8         | 8.8         | 7.0        | 7.6        | 5.9        | 4.2 | 3.1 |             | 8.3         | 8.6         | 8.6        | 7.1        | 7.7        | 6.0        |    |
| 36.0         | 7.7        | 8.0         | 8.0         | 6.9        | 7.4        | 5.8        | 4.0 | 3.0 |             | 7.5         | 7.8         | 7.8        | 7.0        | 7.5        | 5.9        |    |
| 38.0         | 7.0        | 7.3         | 7.3         | 6.7        | 7.2        | 5.6        | 4.0 | 3.0 |             | 6.8         | 7.1         | 7.1        | 6.8        | 7.3        | 5.7        |    |
| 40.0         | 6.4        | 6.6         | 6.6         | 6.5        | 6.9        | 5.5        | 3.8 | 2.9 |             | 6.1         | 6.5         | 6.5        | 6.6        | 6.7        | 5.5        |    |
| 42.0         | 5.8        | 6.0         | 6.1         | 6.4        | 6.3        | 5.4        | 3.7 | 2.9 |             | 5.6         | 5.9         | 5.9        | 6.3        | 6.1        | 5.5        |    |
| 44.0         | 5.3        | 5.5         | 5.6         | 5.9        | 5.8        | 5.3        | 3.6 | 2.8 |             | 5.1         | 5.3         | 5.4        | 5.8        | 5.6        | 5.3        |    |
| 46.0         | 4.9        | 5.0         | 5.1         | 5.4        | 5.3        | 5.1        | 3.5 | 2.7 |             | 4.5         | 4.8         | 5.0        | 5.3        | 5.1        | 5.2        |    |
| 48.0         | 4.4        | 4.5         | 4.7         | 5.0        | 4.9        | 5.0        | 3.4 | 2.7 |             | 4.1         | 4.3         | 4.5        | 4.8        | 4.7        | 5.0        |    |
| 50.0         | 4.0        | 4.1         | 4.3         | 4.5        | 4.5        | 4.9        | 3.4 | 2.7 |             | 3.7         | 3.9         | 4.0        | 4.4        | 4.3        | 4.7        |    |
| 52.0         | 3.5        | 3.7         | 3.9         | 4.1        | 4.1        | 4.5        | 3.2 | 2.7 |             | 3.3         | 3.5         | 3.6        | 3.9        | 3.9        | 4.3        |    |
| 54.0         | 3.2        | 3.3         | 3.5         | 3.7        | 3.7        | 4.1        | 3.2 | 2.6 |             | 3.0         | 3.0         | 3.2        | 3.5        | 3.5        | 3.9        |    |
| 56.0         | 2.9        | 3.0         | 3.2         | 3.4        | 3.4        | 3.7        | 3.1 | 2.5 |             | 2.6         | 2.7         | 2.9        | 3.2        | 3.2        | 3.5        |    |
| 58.0         | 2.9 / 56.3 | 2.8 / 56.9  | 2.9         | 3.0        | 3.0        | 3.4        | 3.0 | 2.5 |             | 2.3         | 2.4         | 2.6        | 2.8        | 2.8        | 3.2        |    |
| 60.0         |            |             | 2.5         | 2.7        | 2.7        | 3.0        | 2.9 | 2.5 |             | 2.2 / 58.9  | 2.2 / 59.5  | 2.3        | 2.5        | 2.5        | 2.8        |    |
| 62.0         |            |             | 2.3         | 2.4        | 2.5        | 2.7        | 2.7 | 2.5 |             |             |             | 2.0        | 2.2        | 2.2        | 2.5        |    |
| 64.0         |            |             | 2.3 / 62.1  | 2.2 / 62.9 | 2.2        | 2.5        | 2.4 | 2.5 |             |             |             | 1.8        | 1.9        | 2.0        | 2.2        |    |
| 66.0         |            |             |             |            | 2.0        | 2.2        | 2.2 | 2.5 |             |             |             | 1.7 / 64.7 | 1.7 / 65.5 | 1.7        | 2.0        |    |
| 68.0         |            |             |             |            | 1.8 / 67.6 | 1.9        | 1.9 | 2.2 |             |             |             |            |            | 1.7        | 1.7        |    |
| 70.0         |            |             |             |            |            | 1.8 / 68.9 | 1.7 | 2.0 |             |             |             |            |            |            |            |    |
| 72.0         |            |             |             |            |            |            |     | 1.7 |             |             |             |            |            |            |            |    |

| ブーム長さ<br>(m) | 58         |             |             |            |     |            |     |            | 61          |             |             |      |            |            |            |            | 64         |             |             |      |            |    |
|--------------|------------|-------------|-------------|------------|-----|------------|-----|------------|-------------|-------------|-------------|------|------------|------------|------------|------------|------------|-------------|-------------|------|------------|----|
|              | 10         |             | 16          |            | 22  |            | 28  |            | 10          |             | 16          |      | 22         |            | 28         |            | 10         |             | 16          |      | 22         |    |
|              | オフセット角度(°) |             |             |            |     |            |     |            | オフセット角度(°)  |             |             |      |            |            |            |            | オフセット角度(°) |             |             |      |            |    |
|              | 10         | 30          | 10          | 30         | 10  | 30         | 10  | 30         | 10          | 30          | 10          | 30   | 10         | 30         | 10         | 30         | 10         | 30          | 10          | 30   | 10         | 30 |
| 15.2         | 11.0       |             |             |            |     |            |     |            | 11.0 / 15.8 |             |             |      |            |            |            |            |            |             |             |      |            |    |
| 16.0         | 11.0       |             | 11.0 / 17.7 |            |     |            |     |            | 11.0        |             |             |      |            |            |            |            |            | 11.0 / 16.3 |             |      |            |    |
| 18.0         | 11.0       | 11.0 / 18.5 | 11.0        |            |     | 8.7 / 19.5 |     |            | 11.0        | 11.0 / 19.0 | 11.0 / 18.2 |      |            |            |            |            | 11.0       | 11.0 / 19.5 | 10.8 / 18.8 |      |            |    |
| 20.0         | 11.0       | 11.0        | 11.0        |            |     | 8.6        |     |            | 5.5 / 20.7  |             |             |      |            | 8.6 / 20.1 |            | 5.5 / 21.2 |            |             |             |      | 8.6 / 20.6 |    |
| 22.0         | 11.0       | 11.0        | 11.0        | 8.5 / 22.6 | 8.5 |            | 5.3 |            |             | 11.0        | 11.0        | 11.0 | 8.5 / 23.1 | 8.6        |            | 5.4        |            | 10.6        | 11.0        | 10.7 | 8.5 / 23.6 |    |
| 24.0         | 11.0       | 11.0        | 11.0        | 8.3        | 8.4 |            | 5.1 |            |             | 11.0        | 11.0        | 11.0 | 8.3        | 8.4        |            | 5.1        |            | 10.3        | 10.9        | 10.4 | 8.4        |    |
| 26.0         | 11.0       | 10.8        | 11.0        | 8.1        | 8.3 | 6.4 / 26.1 | 5.0 |            |             | 11.0        | 10.8        | 11.0 | 8.1        | 8.3        | 6.4 / 26.6 | 5.0        |            | 10.0        | 10.6        | 10.1 | 8.1        |    |
| 28.0         | 11.0       | 10.5        | 11.0        | 7.8        | 8.1 | 6.3        | 4.8 | 3.4 / 29.1 |             | 11.0        | 10.6        | 11.0 | 7.9        | 8.2        | 6.3        | 4.8        | 3.4 / 29.6 | 9.7         | 10.3        | 9.8  | 8.0        |    |
| 30.0         | 10.1       | 10.2        | 10.5        | 7.6        | 8.1 | 6.2        | 4.6 | 3.3        |             | 9.9         | 10.3        | 10.3 | 7.6        | 8.1        | 6.2        | 4.6        | 3.3        | 9.4         | 10.0        | 9.5  | 7.8        |    |
| 32.0         | 9.0        | 9.5         | 9.4         | 7.4        | 7.9 | 6.0        | 4.5 | 3.2        |             | 8.9         | 9.3         | 9.3  | 7.5        | 8.0        | 6.1        | 4.5        | 3.2        | 8.7         | 9.1         | 9.1  | 7.5        |    |
| 34.0         | 8.1        | 8.5         | 8.5         | 7.2        | 7.8 | 6.0        | 4.3 | 3.2        |             | 8.0         | 8.4         | 8.3  | 7.3        | 7.9        | 6.0        | 4.4        | 3.2        | 7.8         | 8.2         | 8.1  | 7.4        |    |
| 36.0         | 7.4        | 7.7         | 7.7         | 7.0        | 7.6 | 5.9        | 4.2 | 3.1        |             | 7.2         | 7.5         | 7.5  | 7.1        | 7.7        | 5.9        | 4.3        | 3.1        | 7.0         | 7.4         | 7.4  | 7.2        |    |
| 38.0         | 6.6        | 7.0         | 7.0         | 6.9        | 7.2 | 5.8        | 4.0 | 3.0        |             | 6.5         | 6.9         | 6.9  | 7.0        | 7.0        | 5.9        | 4.1        | 3.0        | 6.3         | 6.6         | 6.6  | 7.0        |    |
| 40.0         | 6.0        | 6.3         | 6.4         | 6.8        | 6.5 | 5.6        | 4.0 | 3.0        |             | 5.9         | 6.2         | 6.2  | 6.6        | 6.4        | 5.7        | 4.0        | 3.0        | 5.6         | 6.0         | 6.0  | 6.5        |    |
| 42.0         | 5.5        | 5.7         | 5.8         | 6.2        | 6.0 | 5.5        | 3.9 | 2.9        |             | 5.3         | 5.6         | 5.6  | 6.0        | 5.9        | 5.5        | 3.9        | 2.9        | 5.0         | 5.4         | 5.4  | 5.9        |    |
| 44.0         | 4.9        | 5.2         | 5.3         | 5.6        | 5.5 | 5.4        | 3.7 | 2.9        |             | 4.7         | 5.0         | 5.1  | 5.5        | 5.3        | 5.5        | 3.8        | 2.9        | 4.5         | 4.8         | 4.9  | 5.4        |    |
| 46.0         | 4.4        | 4.6         | 4.8         | 5.1        | 5.0 | 5.3        | 3.7 | 2.8        |             | 4.2         | 4.5         | 4.5  | 5.0        | 4.8        | 5.3        | 3.7        | 2.8        | 4.0         | 4.3         | 4.3  | 4.8        |    |
| 48.0         | 3.9        | 4.1         | 4.3         | 4.6        | 4.5 | 5.0        | 3.5 | 2.7        |             | 3.7         | 4.0         | 4.1  | 4.5        | 4.4        | 4.9        | 3.6        | 2.7        | 3.5         | 3.7         | 3.9  | 4.3        |    |
| 50.0         | 3.5        | 3.7         | 3.9         | 4.2        | 4.0 | 4.6        | 3.5 | 2.7        |             | 3.3         | 3.5         | 3.7  | 4.0        | 3.9        | 4.5        | 3.5        | 2.7        | 3.0         | 3.3         | 3.4  | 3.8        |    |
| 52.0         | 3.1        | 3.3         | 3.5         | 3.7        | 3.7 | 4.1        | 3.4 | 2.7        |             | 2.9         | 3.1         | 3.2  | 3.6        | 3.5        | 4.0        | 3.5        | 2.7        | 2.7         | 2.9         | 3.0  | 3.4        |    |
| 54.0         | 2.7        | 2.9         | 3.0         | 3.4        | 3.3 | 3.7        | 3.3 | 2.7        |             | 2.5         | 2.7         | 2.9  | 3.2        | 3.1        | 3.6        | 3.2        | 2.7        | 2.2         | 2.5         | 2.6  | 2.9        |    |
| 56.0         | 2.4        | 2.5         | 2.7         | 3.0        | 3.0 | 3.4        | 3.1 | 2.6        |             | 2.2         | 2.4         | 2.5  | 2.8        | 2.7        | 3.2        | 2.9        | 2.6        | 2.0         | 2.1         | 2.2  | 2.6        |    |
| 58.0         | 2.1        | 2.2         | 2.4         | 2.7        | 2.7 | 3.0        | 2.7 | 2.5        |             | 1.9         | 2.0         | 2.2  | 2.5        | 2.5        | 2.9        | 2.5        | 2.6        | 1.7         | 1.8         | 2.0  | 2.2        |    |
| 60.0         | 1.8        | 1.9         | 2.1         | 2.3        | 2.4 | 2.7        | 2.5 | 2.5        |             | 1.7         | 1.7         | 1.9  | 2.2        | 2.2        | 2.5        | 2.2        | 2.5        |             |             | 1.7  | 1.9        |    |
| 62.0         | 1.7 / 61.5 | 1.7         | 1.8         | 2.0        | 2.0 | 2.4        | 2.2 | 2.5        |             |             |             | 1.7  | 1.8        | 1.8        | 2.2        | 2.0        | 2.5        |             |             |      | 1.6        |    |
| 64.0         |            | 1.6 / 62.1  | 1.6         | 1.7        | 1.8 | 2.0        | 2.0 | 2.4        |             |             |             |      | 1.6        | 1.6        | 1.9        | 1.7        | 2.2        |             |             |      |            |    |
| 66.0         |            |             |             | 1.6        | 1.8 | 1.7        | 2.0 |            |             |             |             |      |            |            | 1.7        | 1.9        |            |             |             |      |            |    |
| 68.0         |            |             |             |            | 1.6 |            |     | 1.8        |             |             |             |      |            |            |            | 1.7        |            |             |             |      |            |    |
| 70.0         |            |             |             |            |     |            |     | 1.6        |             |             |             |      |            |            |            |            |            |             |             |      |            |    |

注) 1. 上表に示す定格総荷重は、水平堅土上の定置荷役における値で、転倒荷重の78%以内および移動式クレーン構造規格で定める前方安定度1.15以上です。  
 2. 実際につり上げられる荷重は、上表の定格総荷重からフックなどのつり具一切の質量を差し引いた値です。  
 3. □(マッティング)内の値は強度に基づいています。  
 4. 作業半径とは、荷をつた状態での旋回中心からつり荷の重心までの水平距離です。  
 5. カウンタウエイトは、標準仕様(45t)です。  
 6. 表中の○/○は、定格総荷重 / 作業半径mを示します。



# 定格総荷重表

## ■クレーンジブ付き主ブーム

単位：t

| ブーム長さ<br>(m) | 58         |      |      |      |      |      |      |      | 61          |             |             |             |             |             |             |             |
|--------------|------------|------|------|------|------|------|------|------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
|              | 10         |      | 16   |      | 22   |      | 28   |      | 10          |             | 16          |             | 22          |             | 28          |             |
| ジブ長さ<br>(m)  | オフセット角度(°) |      |      |      |      |      |      |      |             |             |             |             |             |             |             |             |
| 作業半径<br>(m)  | オフセット角度(°) |      |      |      |      |      |      |      | オフセット角度(°)  |             |             |             |             |             |             |             |
|              | 10         | 30   | 10   | 30   | 10   | 30   | 10   | 30   | 10          | 30          | 10          | 30          | 10          | 30          | 10          | 30          |
| 12.0         | 28.3       | 28.0 | 27.5 | 27.0 | 26.6 | 26.1 | 25.6 | 25.2 | 22.0 / 12.5 | 22.0 / 12.5 | 22.0 / 12.5 | 22.0 / 12.5 | 22.0 / 12.5 | 22.0 / 12.5 | 22.0 / 12.5 | 22.0 / 12.5 |
| 14.0         | 26.8       | 26.5 | 26.1 | 25.8 | 25.5 | 25.0 | 24.5 | 24.2 | 22.0        | 22.0        | 22.0        | 22.0        | 22.0        | 22.0        | 21.5        | 21.6        |
| 16.0         | 25.1       | 24.9 | 24.7 | 24.4 | 24.1 | 23.6 | 23.2 | 23.0 | 22.0        | 22.0        | 22.0        | 22.0        | 22.0        | 21.5        | 21.2        | 20.4        |
| 18.0         | 20.9       | 20.8 | 20.5 | 20.3 | 20.1 | 19.7 | 19.7 | 19.2 | 21.0        | 20.8        | 20.6        | 20.3        | 20.2        | 19.7        | 19.7        | 18.9        |
| 20.0         | 17.7       | 17.6 | 17.4 | 17.1 | 17.0 | 16.6 | 16.6 | 16.1 | 17.7        | 17.6        | 17.4        | 17.1        | 17.0        | 16.6        | 16.6        | 16.1        |
| 22.0         | 15.2       | 15.1 | 14.8 | 14.6 | 14.4 | 14.2 | 14.1 | 13.6 | 15.2        | 15.1        | 14.8        | 14.6        | 14.4        | 14.1        | 14.1        | 13.6        |
| 24.0         | 13.2       | 13.1 | 12.8 | 12.6 | 12.4 | 12.2 | 12.0 | 11.7 | 13.1        | 13.0        | 12.8        | 12.6        | 12.4        | 12.1        | 12.0        | 11.6        |
| 26.0         | 11.5       | 11.4 | 11.1 | 11.0 | 10.7 | 10.5 | 10.4 | 10.0 | 11.5        | 11.3        | 11.1        | 10.9        | 10.7        | 10.5        | 10.3        | 10.0        |
| 28.0         | 10.1       | 10.0 | 9.7  | 9.6  | 9.3  | 9.1  | 9.0  | 8.7  | 10.0        | 9.9         | 9.7         | 9.5         | 9.3         | 9.1         | 8.9         | 8.6         |
| 30.0         | 8.8        | 8.8  | 8.5  | 8.4  | 8.1  | 8.0  | 7.8  | 7.5  | 8.8         | 8.7         | 8.5         | 8.3         | 8.1         | 7.9         | 7.7         | 7.4         |
| 32.0         | 7.8        | 7.7  | 7.5  | 7.4  | 7.1  | 6.9  | 6.6  | 6.4  | 7.8         | 7.7         | 7.4         | 7.3         | 7.0         | 6.8         | 6.6         | 6.3         |
| 34.0         | 6.9        | 6.8  | 6.5  | 6.4  | 6.1  | 5.9  | 5.6  | 5.4  | 6.9         | 6.8         | 6.4         | 6.3         | 6.0         | 5.8         | 5.6         | 5.3         |
| 36.0         | 6.0        | 6.0  | 5.6  | 5.5  | 5.2  | 5.0  | 4.7  | 4.5  | 6.0         | 5.9         | 5.5         | 5.4         | 5.1         | 5.0         | 4.7         | 4.4         |
| 38.0         | 5.2        | 5.2  | 4.8  | 4.7  | 4.4  | 4.3  | 3.9  | 3.8  | 5.2         | 5.1         | 4.7         | 4.7         | 4.3         | 4.2         | 3.9         | 3.7         |
| 40.0         | 4.5        | 4.5  | 4.1  | 4.1  | 3.7  | 3.6  | 3.3  | 3.1  | 4.4         | 4.4         | 4.0         | 4.0         | 3.6         | 3.5         | 3.2         | 3.0         |
| 42.0         | 3.9        | 3.9  | 3.5  | 3.4  | 3.1  | 3.0  | 2.6  | 2.5  | 3.8         | 3.8         | 3.4         | 3.3         | 3.0         | 2.9         | 2.5         | 2.4         |
| 44.0         | 3.3        | 3.3  | 2.9  | 2.9  | 2.5  | 2.4  | 2.1  | 2.0  | 3.2         | 3.2         | 2.8         | 2.8         | 2.4         | 2.3         | 2.0         | 1.9         |
| 46.0         | 2.8        | 2.8  | 2.4  | 2.4  | 2.0  | 2.0  | 1.6  |      | 2.7         | 2.7         | 2.3         | 2.3         | 1.9         | 1.8         |             |             |
| 48.0         | 2.4        | 2.3  | 2.0  | 2.0  | 1.6  |      |      |      | 2.2         | 2.2         | 1.9         | 1.8         |             |             |             |             |
| 50.0         | 2.0        | 1.9  | 1.6  | 1.6  |      |      |      |      | 1.8         | 1.8         |             |             |             |             |             |             |
| 51.8         | 1.6        | 1.6  |      |      |      |      |      |      |             |             |             |             |             |             |             |             |

| ブーム長さ<br>(m) | 64         |      |      |      |      |      |
|--------------|------------|------|------|------|------|------|
|              | 10         |      | 16   |      | 22   |      |
| ジブ長さ<br>(m)  | オフセット角度(°) |      |      |      |      |      |
| 作業半径<br>(m)  | オフセット角度(°) |      |      |      |      |      |
|              | 10         | 30   | 10   | 30   | 10   | 30   |
| 13.1         | 22.0       | 22.0 | 22.0 | 22.0 | 22.0 | 21.5 |
| 14.0         | 22.0       | 22.0 | 22.0 | 21.7 | 21.3 | 20.9 |
| 16.0         | 21.3       | 21.1 | 20.7 | 20.3 | 19.9 | 19.4 |
| 18.0         | 19.9       | 19.7 | 19.3 | 18.9 | 18.5 | 18.0 |
| 20.0         | 17.6       | 17.4 | 17.2 | 16.9 | 16.8 | 16.4 |
| 22.0         | 15.0       | 14.9 | 14.6 | 14.4 | 14.3 | 13.9 |
| 24.0         | 13.0       | 12.8 | 12.6 | 12.4 | 12.2 | 11.9 |
| 26.0         | 11.2       | 11.1 | 10.9 | 10.7 | 10.5 | 10.3 |
| 28.0         | 9.8        | 9.7  | 9.5  | 9.3  | 9.1  | 8.9  |
| 30.0         | 8.6        | 8.5  | 8.3  | 8.1  | 7.9  | 7.7  |
| 32.0         | 7.6        | 7.5  | 7.2  | 7.1  | 6.8  | 6.6  |
| 34.0         | 6.6        | 6.5  | 6.2  | 6.1  | 5.7  | 5.6  |
| 36.0         | 5.7        | 5.6  | 5.3  | 5.2  | 4.8  | 4.7  |
| 38.0         | 4.9        | 4.8  | 4.5  | 4.4  | 4.1  | 3.9  |
| 40.0         | 4.2        | 4.1  | 3.8  | 3.7  | 3.3  | 3.2  |
| 42.0         | 3.5        | 3.5  | 3.1  | 3.1  | 2.7  | 2.6  |
| 44.0         | 3.0        | 2.9  | 2.6  | 2.5  | 2.1  | 2.0  |
| 46.0         | 2.4        | 2.4  | 2.0  | 2.0  | 1.6  |      |
| 48.0         | 2.0        | 1.9  | 1.6  |      |      |      |

- 注) 1. 上表に示す定格総荷重は、水平堅土上の定置荷役における値で、転倒荷重の78%以内および移動式クレーン構造規格で定める前方安定度1.15以上です。  
 2. 実際につり上げられる荷重は、上表の定格総荷重からフックなどのつり具一切の質量を差し引いた値です。  
 3. □(ノッチング)内の値は強度に基づいています。  
 4. 作業半径とは、荷をつった状態での旋回中心からつり荷の重心までの水平距離です。  
 5. カウンタウエイトは、標準仕様(45t)です。  
 6. 表中の○●/○●は、定格総荷重t / 作業半径mを示します。